

# Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/GB04/005263

International filing date: 15 December 2004 (15.12.2004)

Document type: Certified copy of priority document

Document details: Country/Office: GB  
Number: 0329854.4  
Filing date: 23 December 2003 (23.12.2003)

Date of receipt at the International Bureau: 09 February 2005 (09.02.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland  
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



PCT/GB 2004 / 0 0 5 2 6 3

110 JANUARY 2005



INVESTOR IN PEOPLE

The Patent Office  
Concept House  
Cardiff Road  
Newport  
South Wales  
NP10 8QQ


I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

I also certify that the attached copy of the request for grant of a Patent (Form 1/77) bears an amendment, effected by this office, following a request by the applicant and agreed to by the Comptroller-General.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.



Signed

Dated 17 December 2004

17. 10. 1966. 10. 10. 1966

18. 10. 1966. 10. 10. 1966





1/77

# Request for grant of a patent

(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in this form)



The Patent Office

Cardiff Road  
Newport  
South Wales  
NP10 8QQ

1. Your reference

AFB/JAS/P9621GB

2. Patent application number:

(The Patent Office will fill this in)

0329854.4

24DEC03 EB61828-3 000571

P01/7700 0.00-0329854.4 CHEQUE

23 DEC 2003

3. Full name, address and postcode of the or of each applicant (underline all surnames)

TEMREL INC.  
9 Myrtle Street  
Douglas  
Isle of Man IM1 1ED

Patents ADP number (if you know it)

8778557001

If the applicant is a corporate body, give the country/state of its incorporation

British Virgin Islands

4. Title of the invention

PROCESS FOR PRODUCING PARTICLES FOR  
PHARMACEUTICAL COMPOSITIONS

5. Name of your agent (if you have one)

W. H. Beck, Greener & Co.

"Address for service" in the United Kingdom to which all correspondence should be sent (including the postcode)

W. H. Beck, Greener & Co.  
7 Stone Buildings  
Lincoln's Inn  
London WC2A 3SZ

Beck Greener  
Fulwood House  
12 Fulwood Place  
London  
WC1V 6HR

Patents ADP number (if you know it)

323001

08991754001

6. Priority: Complete this section if you are declaring priority from one or more earlier patent applications, filed in the last 12 months.

Country

Priority application number  
(if you know it)

Date of filing  
(day / month / year)

7. Divisionals, etc: Complete this section only if this application is a divisional application or resulted from an entitlement dispute (see note f)

Number of earlier UK application

Date of filing  
(day / month / year)

8. Is a Patents Form 7/77 (Statement of inventorship and of right to grant of a patent) required in support of this request?

Answer YES if:

- a) any applicant named in part 3 is not an inventor, or
- b) there is an inventor who is not named as an applicant, or
- c) any named applicant is a corporate body.

Yes

Otherwise answer NO (See note d)

## Patents Form 1/77

9. Accompanying documents: A patent application must include a description of the invention. Not counting duplicates, please enter the number of pages of each item accompanying this form:

Continuation sheets of this form

Description	10
Claim(s)	5
Abstract	1
Drawing(s)	3

10. If you are also filing any of the following, state how many against each item.

Priority documents

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for a preliminary examination and search (Patents Form 9/77)

Request for a substantive examination (Patents Form 10/77)

Any other documents (please specify)

11. I/We request the grant of a patent on the basis of this application.

Signature(s)

Date 23.12.03

12. Name, daytime telephone number and e-mail address, if any, of person to contact in the United Kingdom

Dr. James Stones - (020) 7693 5600

### Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication or communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the Patents Act 1977 stops you from applying for a patent abroad without first getting written permission from the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been revoked.

### Notes

- If you need help to fill in this form or you have any questions, please contact the Patent Office on 08459 500505.
- Write your answers in capital letters using black ink or you may type them.
- If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form.
- If you have answered YES in part 8, a Patents Form 7/77 will need to be filed.
- Once you have filled in the form you must remember to sign and date it.
- Part 7 should only be completed when a divisional application is being made under section 15(4), or when an application is being made under section 8(3), 12(6) or 37(4) following an entitlement dispute. By completing part 7 you are requesting that this application takes the same filing date as an earlier UK application. If you want the new application to have the same priority date(s) as the earlier UK application, you should also complete part 6 with the priority details.

Process for Producing Particles for Pharmaceutical Compositions

The present invention relates to a process to produce particles, particularly for use in pharmaceutical compositions. In particular, the invention relates to the use of water to control particle size in a composition comprising prednisolone metabisulphobenzoate or a pharmacologically acceptable salt thereof.

US-A-5834021 (Speirs; published on 10<sup>th</sup> November 1998) discloses a non-disintegratable solid enteric composition comprising 5 wt % prednisolone metasulphobenzoate ("Pred-MSB") in an excipient matrix comprising 40 wt % microcrystalline cellulose, 35 wt % lactose and 20 wt % croscarmellose sodium. The composition is in the form of pellets having a diameter in the range of 1000 to 1400 µm. The pellets are formed by dry mixing the Pred-MSB with the cellulose, the lactose and the croscarmellose sodium. Water is added to the mixture which is then stirred for 10 minutes to form an extrudable paste. The paste is extruded from a 25 mm diameter bowl through a 1 mm diameter tube of about 5 mm length at a rate of about 100 mm/min and spheronised on an 8 in (20 cm) plate rotated at about 1000 rpm for 10 to 15 minutes to provide said pellets. The resultant pellets are dried at 50°C for 30 min on a fluidised bed. The pellets are then coated with an Eudragit™ S100 (available from Röhm Pharma GmbH, Darmstadt, Germany) coating to provide a theoretical weight gain on coating of 11.6% and filled (15.7 mg per capsule) into size 1 hard gelatin capsules. The filled capsules are coated with an Eudragit™ L100 (also available from Röhm Pharma GmbH) coating to provide a theoretical weight gain on coating of 10.2%. The coated capsules may be used as a delayed and sustained release oral treatment of inflammatory bowel disease ("IBD").

Similar treatments of IBD are described in UK patent application Nos. 0215656.0 and 0215657.8 (Speirs; unpublished). The contents of

US-A-5834021, GB0215656.0 and GB0215657.8 are incorporated herein by reference.

The diameter of the pellets is usually in the range between from  
5 about 500 to 2500  $\mu\text{m}$ , preferably 800 to 1700  $\mu\text{m}$ , more preferably 800 to  
1500  $\mu\text{m}$  and still more preferably 1000 to 1500  $\mu\text{m}$ . However, it should  
be appreciated that pellets may have a diameter anywhere within the  
aforementioned ranges and that a capsule may have pellets having a  
range of diameters. One reason pellets of this size are preferred is that  
10 they may be coated satisfactorily with, for example, an enteric coating.  
Such enterically-coated pellets display the required release profile in the  
intestines. Smaller pellets tend to be less spherical and more elongated  
and may be below the required size to allow homogeneous filling of  
capsules while retaining a sufficient number to distribute through the  
15 bowel. The preferred size ranges have been justified by bioscintigraphy,  
the results of which showing that 200 or so pellets obtained an  
appropriate spread throughout the bowel.

The process disclosed in US-A-5834021 produces a range of pellet  
20 sizes. The pellets have to be screened so that the pellets of required size  
can be collected. Pellets that are either too large or too small to be used  
effectively in the delayed and sustained release capsules would normally  
be discarded resulting in significant wastage. Such wastage is obviously  
undesirable. There is a need therefore for an improved process that  
25 produces particles having a more favourable distribution of particle sizes  
that is more particles within the required diameter range, resulting in a  
reduction in the amount of wastage.

The inventors have discovered that even small variations, e.g.  $\pm 5$  wt  
30 %, in the amount of water used in the above-mentioned process causes a  
significant change in the size of the particles and the distribution of  
particle sizes. With this in mind, the inventors reasoned that particle size

and, more importantly, particle size distribution is dependant on the amount of water used. The inventors realised that the amount of water could, therefore, be used to control the particle size and distribution. In this way, particles having different ranges of sizes could be produced.

5

According to a first aspect of the present invention, there is provided use of water to control particle size in a process comprising:

- mixing water with a component composition comprising at least prednisolone or a pharmacologically acceptable salt or derivative thereof
- 10 and a rheology modifying agent to produce a paste;
- extruding at least a portion of the paste to form extrudate;
- spheronising at least a portion of the extrudate to form spheronised particles; and
- drying at least a portion of the spheronised particles.

15

The term "paste" is intended to include wet granulate.

The particles of the present invention are typically pellets or granules. In preferred embodiments, the composition further comprises

20 sugar and cellulose.

25

Without wishing to be bound by any particular theory, the amount of water affects particle size due to the state of hydration of the matrix of the particle. Once the amount of water passes a certain point, the matrix is too wet and forms large agglomerates. It would appear that a large amount of water is taken up by the rheology modifying agent. Beyond the saturation point for this process, the amount of water appears critical.

30

One advantage of the present invention is that more particles having a diameter within the required range, usually 800 to 1500  $\mu\text{m}$ , are produced. Different pluralities of preferred pellets of this size may be treated/coated using different modalities or thicknesses of delayed release



coating material in order to achieve release at specified areas of the bowel. An example of such coated pluralities of pellets is disclosed in PCT/GB03/02911, the disclosure of which is incorporated herein by reference.

5

Such coated pluralities of pellets allow a number of clinical objectives to be met. For example, they allow continuous delivery of a drug to treat large areas of bowel where the drug would otherwise be absorbed or metabolised if suddenly released. In addition, they allow  
10 continuous delivery of a drug over a section of the bowel to increase contact with the absorptive mucosa thereby allowing maximum absorption whereas the drug would be broken down if otherwise released in one section. Further, where a drug at high concentration would be toxic to the gut mucosa, the pellets allow the drug to be continually  
15 available at low concentration thereby allowing absorption without or with reduced toxicity.

Water is usually used in an amount of between from about 180 wt % to about 190 wt % of the component composition and is preferably  
20 used in an amount of about 185 wt % of the component composition. The inventors found the amount of water used in the process to form the matrix by absorption to be surprisingly large. This large amount of water distinguishes the present invention over all other pelleting processes of which the inventors are aware.

25

Usually from about 80 % to about 98 % of particles and typically between from about 90 to 98 % of particles, have a diameter between the range of about 800 to about 1500 microns. Even though the number of particles whose diameter is within the required range is greater than for  
30 the process disclosed in US-A-5834021, the dry particles may be screened to obtain particles having a diameter with the range of about 800 to about 1500  $\mu\text{m}$  and to remove particles whose diameter does not fall within that

range.

Use of about 5 wt % less water usually reduces particle size significantly. Conversely, use of 5 wt % more water increases particle size such that 100% of particles have a diameter greater than 1500  $\mu\text{m}$  which is useless if the pellets are to be enterically coated and used to release the active into the bowels.

The use of less water reduces the particle size distribution such that fewer particles have a diameter within the desired 800 to 1500  $\mu\text{m}$  range and the mean particle size is reduced. The use of more water increases particle size distribution until all pellets are greater than 1500  $\mu\text{m}$ . Thus, the present invention increases the number of useful particles and reduces the amount of waste.

15

The therapeutically active compound is prednisolone or pharmacologically acceptable salt or derivative thereof. A suitable salt is prednisolone sodium metasulphobenzoate. In this case, the particles may be used to treat inflammatory bowel disease, for example, in a delayed and sustained release oral medicament.

20

Prednisolone or the therapeutically acceptable salt or derivative thereof may be present in an amount between from more than 0 wt % to about 90 wt%, preferably between from more than 0 wt % to about 40 wt %, and more preferably between from about 5 wt % to about 20 wt % of the component composition. In one embodiment, the prednisolone is present in an amount of about 5 wt %.

25

The component composition preferably consists essentially of prednisolone or a pharmacologically acceptable salt or derivative thereof, rheology modifying agent, sugar and cellulose.

30

The rheology modifying agent swells upon hydration to form a gel-like matrix having visco-elastic properties. A preferred rheology modifying agent is croscarmellose sodium, e.g. Ac-Di-Sol™ (FMC Biopolymer, 1735 Market Street, Philadelphia, PA 19103, USA). Croscarmellose sodium is usually used as a super disintegrant, i.e. a compound that assists dissolution of a composition. It is, therefore, surprising and totally unexpected that a super disintegrant would form a gel-like matrix. The rheology modifying agent is present in an amount of at least 5 wt % of the component composition, preferably at least 10 wt % and more preferably in an amount of between from about 10 to about 40 wt %, e.g. 20 wt %, of the component composition.

The sugar is preferably lactose monohydrate. The sugar is preferably present in an amount of between from about 30 to about 50 wt %, e.g. 35 wt %, of the component composition.

The cellulose is preferably microcrystalline cellulose. The cellulose is preferably present in an amount of between from about 35 to about 45 wt %, e.g. 30 wt %, of the component composition.

The speed of the spheroniser is very slow in comparison to that in known pellet manufacturing processes. For the purposes of the present invention, the spheronising plate usually rotates at between from about 125 rpm to about 2000 rpm, preferably about 200 rpm to about 1000 rpm and, if the speed of rotation used is outside this range then the spheroniser usually fails to make pellets. In addition, with knowledge of known processes, the use of a smaller spheronising plate would intuitively require a faster rotation speed. However, in the present invention, the reverse is true and a smaller plate requires a faster speed of rotation. To the inventors' knowledge, this observation is unique in pellet manufacturing.

Controlling the amount of water used allows optimisation of the size distribution of particles at maximum process yields. The particles are intended for a particular purpose, for example medical treatment of a condition, e.g. IBD.

5

The resultant particles may be coated with an enteric coating such as Eudragit™ S which is an anionic copolymer of methacrylic acid and methacrylic acid methyl ester in which the ratio of free carboxylic groups to ester groups is approximately 1 : 2 and has a mean molecular weight of 10 135,000. A plurality of the coated particles may be encapsulated in a capsule or compressed into a tablet. The capsule or tablet may be coated with another enteric coating such as Eudragit™ L which differs from Eudragit S in that the ratio of free carboxylic groups to ester groups is approximately 1 : 1. Both Eudragit™ L and Eudragit™ S are insoluble in 15 gastric juice (about pH 6) but only Eudragit™ L is readily soluble in intestinal juice below about pH 7. In this way, release of the active component is delayed until the colon and sustained to increase the effectiveness of the active. Sustained release is believed to be achieved at least in part through the coating becoming permeable.

20

It is believed currently that the gel-like matrix is formed from the cellulosic components of the pellets upon rehydration. In preferred embodiments, the cellulosic components are microcrystalline cellulose and croscarmellose sodium (a cellulose derivative). On rehydration, the 25 pellets swell and release the prednisolone in a sustained manner over time. The pellets also become "sticky" on rehydration and stick to the gut wall. As a result, the swollen pellets stick to the target site in the gut thereby increasing the effectiveness of the prednisolone. In addition, the pH within the gut increases from the centre of the gut lumen to the wall of 30 the gut. Where the pellets are coated with a pH dependent release coating material, the rate of release of the prednisolone increases as the pellets approach the gut wall. This feature of preferred embodiments of the

invention may also increase the effectiveness of the prednisolone.

The results also indicate that the overall yield (after drying) of the particles increases as the amount of water used approaches the optimum  
5 amount.

In a second aspect of the present invention, there is provided a process for the production of particles for use in a pharmaceutical composition, said process comprising the steps of:

- 10       mixing water with a component composition comprising at least prednisolone or a pharmacologically acceptable salt or derivative thereof and a rheology modifying agent to produce a paste;  
          extruding at least a portion of the paste to form extrudate;  
          spheronising at least a portion of the extrudate to form spheronised  
15 particles; and  
          drying at least a portion of the spheronised particles.

Preferably, the amount of water used is between from about 180 to about 190 wt % of the weight of the component composition and where  
20 the spheronising step uses a rotation 70 cm plate, the plate does not rotate at about 33 rpm.

The process of the second aspect may have any or all of the preferred features of the process defined above, in any appropriate  
25 combination.

Preferred embodiments of the present invention will now be described, by way of example only and with reference to the accompanying figures. In the figures:

30       Figure 1 is a photograph of uncoated pellets produced in Example 1;

Figure 2 is a photograph of uncoated pellets produced in Example

2; and

Figure 3 is a photograph of uncoated pellets produced in Example 3.

5    Example 1

Prednisolone metasulphobenzoate pellets were prepared by preparing a dry mix of 5 wt% prednisolone sodium metasulphobenzoate, 40 wt% microcrystalline cellulose (Avicel™ PH 101), 35 wt% lactose  
10    monohydrate (D80 200 Mesh) and 20 wt% croscarmellose sodium (Ac-Di-Sol™). Purified water (185 wt% of the dry mix components) was added and the resulting mixture mixed for 10 minutes to form an extrudable paste which was then extruded and spheronised. The pellets were then dried in a fluid bed granulator and screened to ensure the size of the  
15    particles was in the range 800 to 1500 µm.

Figure 1 depicts the pellets formed by Example 1. The majority of these pellets are within the required range of 800 to 1500 µm.

20    Example 2

Pellets were formed using the steps described in Example 1 although only 180 wt % water was used instead of 185 wt %. The yield (after drying) of the pellets was 91 %.

25

Figure 2 depicts the pellets formed by Example 2. The photograph clearly shows that the size of the pellets is reduced significantly when less water is used.

30    Example 3

Pellets were formed using the steps described in Example 1

although 190 wt % water was used instead of 185 wt %.

Figure 3 depicts the pellets formed by Example 3. The photograph clearly shows that the size of the pellets is increased significantly when  
5 more water is used.

#### Example 4

Pellets were formed using the steps described in Example 1  
10 although only 182.5 wt % water was used instead of 185 wt %. The yield (after drying) of the pellets was 96.5 %.

#### Example 5

15 Pellets were formed using the steps described in Example 1 although only 177.5 wt % water was used instead of 185 wt %. The yield (after drying) of the pellets was 85 %.

It will be appreciated that the invention is not restricted to the  
20 details described above with reference to the preferred embodiments but that numerous modifications and variations can be made without departing from the spirit or scope of the invention as defined by the following claims.

CLAIMS

1. Use of water to control particle size in a process comprising:  
mixing water with a component composition comprising at least  
5 prednisolone or a pharmacologically acceptable salt or derivative thereof  
and a rheology modifying agent to produce a paste;  
extruding at least a portion of the paste to form extrudate;  
spheronising at least a portion of the extrudate to form spheronised  
particles; and  
10 drying at least a portion of the spheronised particles.
2. Use as claimed in Claim 1 wherein water is used in an amount of  
between from about 180 wt % to about 190 wt % of the component  
composition.
- 15 3. Use as claimed in Claim 1 or Claim 2 wherein water is used in an  
amount of about 185 wt % of the component composition.
4. Use as claimed in any of Claims 1 to 3 wherein between from about  
20 80 % to about 98 % of particles have a diameter between the range of  
about 800 to about 1500  $\mu\text{m}$ .
5. Use as claimed in any of the preceding claims wherein from about  
95 % to about 98 % of particles have a diameter between the range of  
25 about 800 to about 1500  $\mu\text{m}$ .
6. Use as claimed in Claim 3 wherein use of 5 wt % more water  
increases particle size such that substantially all of the particles have a  
diameter over 1500  $\mu\text{m}$ .
- 30 7. Use as claimed in any of the preceding claims wherein the dry  
particles are screened to obtain particles having a diameter with the range



of about 800 to about 1500  $\mu\text{m}$ .

8. Use as claimed in any of the preceding claims wherein the prednisolone is present in the form of the pharmacologically acceptable salt, prednisolone sodium metasulphobenzoate.  
5
9. Use as claimed in any of the preceding claims wherein the prednisolone or pharmacologically acceptable salt or derivative thereof is present in an amount between from more than 0 wt % to about 90 wt% of  
10 the component composition.
10. Use as claimed in any of the preceding claims wherein the prednisolone or pharmacologically acceptable salt or derivative thereof is present in an amount between from more than 0 wt % to about 40 wt% of  
15 the component composition.
11. Use as claimed in any of the preceding claims wherein the prednisolone or pharmacologically acceptable salt or derivative thereof is present in an amount between from about 5 wt % to about 20 wt% of the  
20 component composition.
12. Use as claimed in any of the preceding claims wherein the prednisolone or pharmacologically acceptable salt or derivative thereof is present in an amount of about 5 wt% of the composition.  
25
13. Use as claimed in any of the preceding claims wherein the rheology modifying agent comprises croscarmellose sodium.
14. Use as claimed in any of the preceding claims wherein the rheology  
30 modifying agent is Ac-Di-Sol™.
15. Use as claimed in any of the preceding claims wherein the rheology

modifying agent is present in an amount of at least 5 wt % of the component composition.

16. Use as claimed in any of the preceding claims wherein the rheology  
5 modifying agent is present in an amount of at least 10 wt % of the component composition.

17. Use as claimed in any of the preceding claims wherein the rheology  
modifying agent is present in an amount of between from about 10 to  
10 about 40 wt % of the component composition.

18. Use as claimed in any of the preceding claims wherein the rheology  
modifying agent is present in an amount of about 20 wt % of the component composition.

15 19. Use as claimed in any of the preceding claims wherein the component composition further comprises sugar.

20. Use as claimed in Claim 19 wherein the sugar is lactose  
20 monohydrate.

21. Use as claimed in Claim 19 or Claim 20 wherein the sugar is present in an amount of between from about 30 to about 50 wt % of the composition.

25 22. Use as claimed in any of Claims 19 to 21 wherein the sugar is present in an amount of about 35 wt % of the component composition.

23. Use as claimed in any of the preceding claims wherein the  
30 component composition further comprises cellulose.

24. Use as claimed in Claim 23 wherein the cellulose is microcrystalline

cellulose.

25. Use as claimed in Claim 23 or Claim 24 wherein the cellulose is present in an amount of between from about 35 to about 45 wt % of the component composition.

26. Use as claimed in any of Claims 23 to 25 wherein the cellulose is present in an amount of about 30 wt % of the component composition.

27. Use as claimed in any of the preceding claims wherein the component composition consists essentially of prednisolone or a pharmacologically acceptable salt or derivative thereof, rheology modifying agent, sugar and cellulose.

28. Use substantially as hereinbefore described with reference to the accompanying examples.

29. A process for the production of particles for use in a pharmaceutical composition, said process comprising the steps of:

mixing water with a component composition comprising at least prednisolone or a pharmacologically acceptable salt or derivative thereof and a rheology modifying agent to produce a paste;  
extruding at least a portion of the paste to form extrudate;  
spheronising at least a portion of the extrudate to form spheronised particles; and  
drying at least a portion of the spheronised particles.

30. A process as claimed in Claim 26 wherein the amount of water used is between from about 180 to about 190 wt % of the weight of the component composition and, where the spheronising step uses a rotation 70 cm plate, the plate does not rotate at about 33 rpm.

31. A process as claimed in Claim 29 or Claim 30 wherein the process comprises any of the features defined in Claims 2 to 28.


32. A process substantially as hereinbefore described with reference to  
5 the accompanying examples.

ABSTRACT

Process for Producing Particles for Pharmaceutical Compositions

5        Water is used to control particle size in a process comprising mixing  
water with a composition comprising prednisolone or a pharmacologically  
acceptable salt or derivative thereof and a rheology modifying agent and  
possibly sugar and cellulose to produce a paste. The paste is extruded to  
form particles which are then spheronised and dried. One advantage of  
10 using water to control particle size is that the number of particles having  
a diameter within a required range, e.g. between from about 800 to about  
1500  $\mu\text{m}$ , may be increased.

1 / 3



5

FIGURE 1



2 / 3





FIGURE 2







5

FIGURE 3

